

Texas High School Women's Gymnastics Rules

These rules will be maintained and updated on the THSGCA website, www.thsgca.org.

I. EVALUATION OF OPTIONAL EXERCISES—Texas High School Gymnastics uses USAG Level 8 rules with modifications as outlined in the following pages. All optional routines begin at 9.7 start value with a possible .3 in bonus. “C” skills = +.1; “D/E” skills =+.2. A maximum of .2 may be given in either category. To achieve a 10.0 start value the athlete must have connective bonus as well as difficulty bonus. There are no difficulty restrictions in High School Gymnastics.

Difficulty at a glance:

A. Value Parts: 4 A's, 4B's an Optional Start Value will be 9.70 + .3 bonus = 10.0

*(C's and D's may replace A and B value Parts), as outlined above.

B. Special Requirements: 4 per event evaluated at .5 each with the exception of Bars, which are valued at .2 each.

C. Difficulty bonus: “C” skills-.1 and “D” skills-.2 (maximum of .2 in difficulty bonus), see above.

D. Combination Bonus: .1 or .2 (use USAG connection bonus & HS bar modifications below)

E. Difficulty Restrictions: No restrictions on skill difficulty

II. HIGH SCHOOL VAULT VALUES

Round-off entry vaults are allowed. Gymnast may either flip or twist, NOT both.

HIGH SCHOOL VAULT VALUES

<u>VAULT</u>	<u>VALUE</u>	<u>VAULT</u>	<u>VALUE</u>
RO FF ON-PIKE OR LAYOUT	10*	YAMASHITA-FULL	9.8
RO FF ON W/ANY FLIP/TWIST	10	¼ - 1 ¼	9.8
HANDSPRING FRONT (T/P/S)	10	¼ ON ¾ OFF	9.2
TSUKAHARA (P/S)	10	½ ON ½ OFF	9.2
FULL ON FULL OFF	10	HECHT ½	9.2
HALF ON 2/1 OFF	10	HANDSPRING ½ OR ¾	9.1
HANDSPRING 2/1	10	YAMASHITA ½ OR ¾	9.1
RO FF ON- TUCK OFF	10	HANDSPRING OR YAMI	9.0
TSUKAHARA (TUCK)	10	¼ ON ¼ OFF	9.0
FULL ON-1/2 OFF	9.9	¼ ON HS OFF	9.0
½ ON - 1 1/2 OFF	9.9	½ ON HS OFF	9.0
HS 1 ½ OR 1 ¾	9.9	HECHT	9.0
FULL ON HS OFF	9.8	STOOP OR STRADDLE	7.5
HANDSPRING ½ OR ½ FULL	9.8	SQUAT	7.0

***ROUND OFF ENTRY VAULTS REQUIRE THE USE OF A SAFETY COLLAR**

Any vault that is not on the current list should be submitted to the Women's Technical Committee. The coach must have written confirmation from the president of THSGCA of the vault value to present to the judges prior to the meet.

****No angle deductions** are to be taken on non-salto vaults.

BARS (4 SR's at .20 each)

1 – Minimum of 1 Bar Change

2& 3 - 2 “B” Elements same or different

a. One “B” flight element, excluding dismount, or one “B” element with a minimum of 180 degree LA turn

- i. • Straddle Cut Catch is considered a release in JO, so it may be used as a release in the routine or as the mount, but not as the dismount)

b. One “B” 360 degree circling element from Groups 3, 6, or 7

- Group 3—Under swings, clear hips
- Group 6—Stalder circles
- Group 7—Circle swings, hechts

4—“A” salto/hecht Dismount, Minimum “A”

Uneven Bar Connection Value Bonus

(All USAG JO Level 9 and 10 Connection Value Bonus applies). In addition, THSGCA will award bonus on bars:

- B + C = 0.1 for CV and 0.1 for DV for the C
- C + C = 0.2 for CV and 0.1 for DV for one C if same and 0.2 if different C's

Uneven Bar ELEMENT VALUE CHANGES

1. THSGCA—Casts will be awarded “B” from vertical to 20 degrees from vertical.
2. THSGCA—all other casts will be awarded an “A,” with body position deductions taken but not angle deductions.
3. Clear hip circle to handstand within 20 degrees of vertical will be awarded “C” value.
4. THSGCA—All other clear hips will be awarded “B” value, even those below horizontal.
5. THSGCA—Layout flyaway and flyaway 1/2 will be awarded “B” value; Flyaway full will be awarded “C” value.

All other bars skills will have the same value as the skills in the USAG Junior Olympic Code of Points.

BEAM (4 SR's at .5 each)

1— Acro series (minimum of 2 elements—1 with flight). Excluding Mount and dismount.

2— Minimum of 360 degree turn on one foot (may be included in a series or performed as an isolated element)

3— 1 leap/jump with 180° cross or side split (isolated or in series).

The leap or jump must be a minimum of “A” value, must start and finish on the beam. There is no special requirement to have a dance series, but there is a .2 compositional deduction for lack of dance series (minimum of 2 dance elements from groups 1, 2, or 3).

4—Aerial or salto dismount—minimum “A”

Balance beam Connection Value Bonus

(All USAG JO Level 9 and 10 Connection Value Bonus applies).

1. 2-Acro Flight Element Connection (excluding mount or dismount):

B + C-Salto = + 0.1 CV and THSGCA + 0.1 DV for the “C”

2. Turns: A-Turn + C Turn (or reverse) receives + 0.1 CV (and THSGCA + 0.1 DV for the “C”).

Balance Beam Compositional Deductions

Single element dismount is .05 (distribution), unless they have a B dismount (example front layout off 2 feet). However, if the only element done in that direction is the dismount, it would be an additional .05 (fwd/swd, bwd). For example, if they did a front tuck dismount and no other fwd/swd elements in their routine, it would be .05 (single element dismount) and .05 (fwd/swd)... total 0.1

BALANCE BEAM ELEMENT VALUE CHANGES

*THSGCA Straddle Jump—starting and finishing in a cross position (facing length of beam), in side position and all straddle jumps with 1/4 turn will receive “C” value.

All other Beam skills will have the same value as the skills in the USAG Junior Olympic Code of Points.

FLOOR (4 SR's at .5 each)

1— One Acro series with 2 saltos OR 2 directly connected saltos (same or different)

2—3 Different saltos within the exercise (not aerials)

3— Dance Series (Minimum of 2 different group 1 elements, directly or indirectly connected, one of which is a leap (one foot takeoff) requiring a 180° cross or side split. *Note: An indirect connection allows for running steps, small leaps, hops, chasse's, assemble's or any kind of turn on 1 or 2 feet between the two dance value part elements.*

4— Minimum of an “A” salto performed as last isolated salto or within last salto connection

Floor Connection Value bonus:

(All USAG JO Level 9 and 10 Connection Value Bonus rules apply).

- Dance/Mixed Connective Value: A “D” salto connected to an “A” Jump (in this order only) will receive + 0.1 CV and THSGCA the “D” will receive + 0.2 for DV.

All Floor Exercise skills will have the same value as the skills in the USAG Junior Olympic Code of Points.

III. EVALUATION OF LEVEL 5 COMPULSORIES AND CHANGES

The THSGCA uses the USA gymnastics Level 5 age group compulsories with the following modifications:

- 1- Uneven bars - allow straddle swing between the rails in both directions.
- 2- Uneven bars fall time for compulsory and optional competition increased to 45 seconds.
- 3- Add a .3 deduction for a stop between elements in an acro series in a Compulsory Floor
- 4- Signals, verbal cues for compulsory and optional competition—if the gymnast is competing on the apparatus and the coach instructs her by giving specific information on what to do during the routine, the deduction of .2 is taken from the average without warning.

IV. RECOMMENDED APPARATUS AND MAT SPECIFICATIONS FOR GIRLS

The THSGCA uses the NF Gymnastic Rule book apparatus specifications and modifications for all meets. All mat specifications will come from the USA Gymnastics Rules & Policies handbook

1. VAULT

The height of the vault shall be between 120–125 cm, measured from the floor to the top of the horse at the saddle. The vaulting horse should be placed on the floor. If the equipment does not meet the required height, the designated official will raise or lower the horse closest to regulation height. The Vault Table shall be used for all High School meets, effective September 2002 (GAT 02). The vault board shall be placed on the gymnasium floor or the run-up strip. Use of support under the vaulting board is not allowed (GAT 98)

There shall be a run-up strip, no more than 1 inch thick and a minimum of 60 feet long. It shall have a non-slip surface. Mats—The landing area shall be a minimum of 18 feet by 6 feet and shall be padded with a minimum of one base mat (at least 18' x 1 ¼" +/- 1/4") and one landing mat (at least 12' x 6' x 3 ¾" +/- 1/2"). A single 5"-10" landing mat that does not slip may be used without a base mat underneath it. The landing mat shall be secured to prevent slippage. The total padding shall not exceed 10 ½ (+/- ¾) inches.

All round off entry vaults are REQUIRED to use the vault collar. A vault performed without the collar will be VOID. NO EXCEPTIONS.

2. UNEVEN PARALLEL BARS

Both bars may be raised or lowered to any height. The bar shall be placed on a level and stable foundation with fastenings to the floor or ground where possible. If fastening is not possible, the base shall be suitably weighted to prevent movement. The rails shall be constructed of multi-laminated wood (unvarnished) or of fiberglass that is properly covered. Both rails shall be the same shape and of the same material. The rails shall not be altered by any foreign substance except water and gymnastic chalk. A gymnast may mount from a vaulting board, but the board must be removed after the mount is completed. If the board is placed on a base mat, the board shall be removed and the landing mat placed on the base mat after the mount is completed. The board shall not be placed on any matting that exceeds 6 inches in thickness, or on the base frame of the uneven bars. A gymnast may mount the apparatus from a maximum of 10 inches of padding when mounting without the aid of a board. The board used in mounting shall meet the specs as outlined in the vault section. Mats—The entire area underneath the bars, and at the mount and dismount area must be covered with 5 ¼" +/- ½" thick mats. Any combination of basic mats (various sizes) may be used without overlapping their sides. One additional 4" landing mat is allowed to be placed on top of the required base mats. The total thickness of all mats may not exceed 10 inches.

3. BALANCE BEAM

The height of the beam shall be 47 ¼ inches (1200mm) measured from the floor to the top of the beam. The length shall be 16 feet 4 inches (5000mm). The beam shall be covered with a cross section of: thickness at widest part, 5 1/8 inches (130 mm) and 3 15/16 inches (100mm) at upper and lower margins; depth, 6 5/16 inches (160mm). The beam shall be placed on a level and stable foundation. The support should be constructed to provide maximum stability and not to interfere with the performer in any way. The gymnast may mount from a board, but the board must be removed after the mount is completed. The vaulting board shall not be placed on any mat(s) which exceeds 6 inches thick, or on the base frame of the beam. The board used for mounting shall meet specifications used for vault. Gymnasts may mount the apparatus from a maximum of 10 inches of padding when mounting without the aid of a board. Mats—The entire area underneath the beam, between the bases, and at the ends of the beam must be covered with 5 ¼" +/- ½" thick mats. Any combination of basic mats (various sizes) may be used without overlapping their sides. The total thickness of all mats may not exceed 10 inches.

4. FLOOR EXERCISE

The dimensions of the padded competitive area shall be between 39 feet 4 ½ inches (12m) +/-1 inch x 39 feet 4 ½ inches (12m) +/-1 inches and 40 feet by 40 feet, clearly marked with solid lines in an area of at least 45 feet 11 3/16 inches (14m) x 45 feet 11 3/16 inches (14m). The competitive area shall be a smooth surface. When new, the mat shall be at least 1 inch thick. If the mat is covered by another material, it shall be taut in order to prevent wrinkles and uneven surfaces. The surface of the floor exercise mat should be in one piece. If this is not possible, each of the individual sections shall be fastened together securely.

There shall be a competitive boundary marker at least 1 inch wide and in contrasting color to the floor exercise mat. The floor exercise mat shall be measured from the outer edges of the boundary line.